

INDIAN SCHOOL MUSCAT MIDDLE SECTION DEPARTMENT OF SOCIAL SCIENCE



NATURAL VEGETATION AND WILDLIFE


The changes in the type ofecause of the changes oferopical Evergreen Forests are also ransport and constructional mater theetitudinal coastal region. The temperate evergreen forests of ke oak, pine, eucalyptus etc. The trees in the temperate decidue Theenild rainy winters. The tropical grasslands occur on extend till the	so called trees are e ials. comprise ous forests sh regions ar	xtremely usefu forests ar and _ ed their leaves re marked with	ul for making furniture, re located in the mid- wood trees in the hot dry summers and
ecause of the changes of	so called trees are e ials. comprise ous forests sh regions ar	xtremely usefu forests ar and _ ed their leaves re marked with	ul for making furniture, re located in the mid- wood trees in the hot dry summers and
ransport and constructional mater theatitudinal coastal region. The temperate evergreen forests of the trees in the temperate decidudinal rainy winters. The tropical grasslands occur on extend till the	co called trees are e ials. comprise ous forests sh regions ar	xtremely usefu forests ar and _ ed their leaves re marked with	ul for making furniture, re located in the mid- wood trees in the hot dry summers and
ransport and constructional mater the	trees are e ials. comprise ous forests sh regions ar	xtremely usefu forests ar and _ ed their leaves re marked with	ul for making furniture, re located in the midwood trees s in the hot dry summers and
ransport and constructional mater The atitudinal coastal region. The temperate evergreen forests of the oak, pine, eucalyptus etc. The trees in the temperate decidue The The The tropical grasslands occur on extend till the	comprise ous forests sh regions ar	forests ar and _ ed their leaves e marked with	re located in the mid- wood trees in the hot dry summers and
Theatitudinal coastal region. The temperate evergreen forests of the trees in the temperate deciduding. The trees in the temperate deciduding. The The The tropical grasslands occur on extend till the	comprise ous forests sh regions ar	and _ ed their leaves e marked with	wood trees s in the hot dry summers and
atitudinal coastal region. The temperate evergreen forests of the temperate evergreen forests of the trees in the temperate decidus. The trees in the temperate decidus. The The The tropical grasslands occur on extend till the	comprise ous forests sh regions ar	and _ ed their leaves e marked with	wood trees s in the hot dry summers and
The temperate evergreen forests of the trees in the temperate deciduding the trees in the temperate deciduding. The	ous forests sh regions ar	ed their leaves	s in thehot dry summers and
ke oak, pine, eucalyptus etc. The trees in the temperate decidud The Thick rainy winters. The tropical grasslands occur on extend till the	ous forests sh regions ar	ed their leaves	s in thehot dry summers and
The trees in the temperate decidudent. The mild rainy winters. The tropical grasslands occur on extend till the	regions ar	e marked with	hot dry summers and
The The tropical grasslands occur on extend till the	regions ar	e marked with	hot dry summers and
Thenild rainy winters. The tropical grasslands occur on extend till the	either side of th		
nild rainy winters. The tropical grasslands occur on extend till the	either side of th		
xtend till the		ho	ام م
xtend till the			and
		are located	on the western
nargins of the continents		a.oooa.oa	
•	very limited i	n the extremel	ly cold
	-		
IE THE FOLLOWING:			
oniferous forests of the northern h	nemisphere ar	e also known a	as.
Russian language this means pu	re and untouc	ched.	
nese regions are known as 'the or ultivation.	chards of the	world' because	e of their fruit
11 D I	ne growth of natural vegetation is editerranean trees adapt themse and nich help them reduce transpirati E THE FOLLOWING: niferous forests of the northern help them and the northern help them reduce transpirations forests of the northern help them reduce transpirations forests of the northern help t	ne growth of natural vegetation is very limited in the growth of natural vegetation is very limited in the growth of natural vegetation is very limited in the growth of the litivation.	ne growth of natural vegetation is very limited in the extremely editerranean trees adapt themselves to dry summers with the and enich help them reduce transpiration. E THE FOLLOWING: niferous forests of the northern hemisphere are also known and enich help them reduce transpiration. Russian language this means pure and untouched. ese regions are known as 'the orchards of the world' because

5. Temperate Grasslands in- Argentina, North America, South Africa, Central Asia and Australia.

6. Mosses and lichens are the examples of trees of this type of vegetation.

Ш

COMPLETE THE GIVEN FLOWCHART BY IDENTIFYING THE TYPES OF NATURAL VEGETATION:



1. Enlist the factors on which the growth of natural vegetation depends. 2. Differentiate between Tropical Evergreen and Tropical Deciduous forests. 2. How are the softwood trees of the Coniferous forests useful to us? 2. The animals in the polar regions have thick fur and thick skin'- explain why? Name some animals found in this region.


Classify and write about the different categories of natural vegetation. ON THE GIVEN OUTLINE MAP OF THE WORLD MARK AND LABEL THE

5. Write a short note on the Mediterranean type of vegetation..

FOLLOWING GRASSLANDS:

a .Prairies (North America)	b. Pampas (Argentina)	c. Veld (South Africa)
d.Steppes(Central Asia)	e. Downs(Australia)	f. Savanna(East Africa)

MAJOR GRASSLANDS OF THE WORLD



3

4