

Roll Number		
-------------	--	--

SET A



INDIAN SCHOOL MUSCAT FINAL TERM EXAMINATION MATHEMATICS

CLASS: XII

Sub. Code: 041

Time Allotted: 3 Hrs

26.11.2018

Max. Marks: 100

General Instructions:

- (i) All questions are compulsory.
- (ii) This question paper contains 29 questions.
- (iii) Question 1- 4 in Section A are very short-answer type questions carrying 1 mark each.
- (iv) Question 5-12 in Section B are short-answer type questions carrying 2 marks each.
- (v) Question 13-23 in Section C are long-answer type questions carrying 4 marks each.
- (vi) Question 24-29 in Section D are long-answer type questions carrying 6 marks each.

SECTION A

1. Find the value of $\sin^{-1} \left[\sin \left(\frac{4\pi}{5} \right) \right]$. 1
2. The two adjacent sides of a parallelogram are $2\hat{i} - 4\hat{j} + 5\hat{k}$ and $\hat{i} - 2\hat{j} - 3\hat{k}$.
Find the unit vector parallel to its diagonal. 1
3. Find the angle between the line $\frac{x-2}{3} = \frac{y+1}{1} = \frac{z-3}{-2}$ and
the plane $3x + 4y + z = 5$. 1

OR

Find the angle between the two planes $2x + y - 2z = 5$ and $3x - 6y - 2z = 7$.

4. A random variables X has the following probability distribution 1

X	0	1	2	3	4
P(X)	0	k	2k	2k	3k

Find the value of k .

SECTION B

5. Evaluate: $\cos \left(\sin^{-1} \frac{3}{5} + \cos^{-1} \frac{4}{5} \right)$ 2
6. Find the values of k ,if the function $f(x) = \begin{cases} kx + 1, & x \leq \pi \\ \cos x, & x > \pi \end{cases}$ is continuous at $x = \pi$ 2
7. Show that $f(x) = |x + 3|$ is not differentiable at $x = -3$ 2
8. A balloon which is always remains spherical, has a variable radius. Find the rate at which its volume is increasing w.r.t its radius when the radius is 7cm.

OR

2

Find the approximate value of $f(5.001)$, where $f(x) = x^3 - 7x^2 + 15$.

9. If each element of a second order determinant is either zero or one, what is the probability that the value of the determinant is positive? 2
10. There are two types of fertilizers F_1 and F_2 . F_1 consists of 10% of nitrogen and 6% phosphoric acid and F_2 consists of 5% of nitrogen and 10% phosphoric acid. After testing the soil conditions a farmer finds that she needs at least 14 kg of nitrogen and 14kg of phosphoric acid for her crops, If F_1 costs Rs6/kg and F_2 costs Rs5/Kg. Formulate the problem so that nutrient requirements are met at a minimum cost. 2

OR

An aeroplane can carry a maximum of 200 passengers. A profit of ₹ 500 is made on each executive class ticket out of which 20% will go to the welfare fund of the employees. Similarly a profit of ₹ 400 is made on each economy class ticket out of which 25% will go for the improvement of facilities provided to the economy class passengers. In both the cases, the remaining profit goes to the airliner's fund. The airline reserves at least 20 seats for executive class. However at least four times as many passengers prefer to travel by economy class than by the executive class. Formulate the problem in order to maximize the net profit of the airline.

11. Find a unit vector perpendicular to each of the vectors $\vec{a} = \hat{i} - 7\hat{j} + 7\hat{k}$ and $\vec{b} = 3\hat{i} - 2\hat{j} + 2\hat{k}$. 2

OR

Given $|\vec{a}| = 13$, $|\vec{b}| = 5$, and $\vec{a} \cdot \vec{b} = 60$. find $|\vec{a} \times \vec{b}|$.

12. Form the differential equation representing the family of curves $y^2 = a(b^2 - x^2)$ where a and b are arbitrary constants. 2

SECTION C

13. Solve : $\tan^{-1}(2x) + \tan^{-1}(3x) = \frac{\pi}{4}$ 4
(OR)
Prove that $2\tan^{-1}\left(\frac{1}{2}\right) + \tan^{-1}\left(\frac{1}{7}\right) = \tan^{-1}\left(\frac{31}{17}\right)$
14. If $x^{16}y^9 = (x^2 + y)^{17}$. Prove that $\frac{dy}{dx} = \frac{2y}{x}$. 4
OR
Verify Rolles Theorem: $f(x) = e^x(\sin x - \cos x)$ on $\left[\frac{\pi}{4}, \frac{5\pi}{4}\right]$
15. If $x = a \sin 2t (1 + \cos 2t)$ and $y = b \cos 2t (1 - \cos 2t)$, find $\frac{dy}{dx}$ at $t = \frac{\pi}{4}$. 4

16. Find the area of the region bounded by the two parabolas $y = x^2$ and $y^2 = x$, using integration. 4
17. If \hat{a} and \hat{b} are unit vectors inclined at an angle θ , then prove that 4

$$\sin \frac{\theta}{2} = \frac{1}{2} |\hat{a} - \hat{b}|.$$
18. Find τ if the vectors $\vec{a} = \hat{i} + 3\hat{j} + \hat{k}$, $\vec{b} = 2\hat{i} - \hat{j} - \hat{k}$ and $\vec{c} = \tau \hat{i} + 3\hat{k}$ are coplanar. 4
19. Find the shortest distance between the pairs of lines given by 4

$$\vec{r} = \hat{i} + 2\hat{j} + 3\hat{k} + \lambda(2\hat{i} + 3\hat{j} + 4\hat{k}) \text{ and } \vec{r} = 2\hat{i} + 4\hat{j} + 5\hat{k} + \mu(3\hat{i} + 4\hat{j} + 5\hat{k})$$
20. A Company has two plants to manufacture scooters. Plant I manufactures 70% of the scooters and plant II manufactures 30%. At Plant I 80% of the scooters are rated of standard quality and at plant II 90% of scooters are rated of standard quality. A Scooter is chosen at random and is found to be of standard quality. Find the probability that it has come from plant II. 4
21. Find the points on the curve $9y^2 = x^3$ where the normal to curve makes equal intercepts with the axes. 4

OR

Find the equation of the tangent to the curve $y = \sqrt{5x - 3} - 2$ which is parallel to the line $4x - 2y + 3 = 0$.

22. Find the intervals in which the functions given below are strictly decreasing or strictly increasing:- 4

$$f(x) = \frac{3}{10}x^4 - \frac{4}{5}x^3 - 3x^2 + \frac{36}{5}x + 11$$
23. Find the general solution of the differential equation 4

$$\sec^2 x \tan y \, dx + \sec^2 y \tan x \, dy = 0.$$

SECTION D

24. Show that the altitude of a right circular cone of maximum volume that can be inscribed in a sphere of radius R is $\frac{4R}{3}$. 6
25. Find the area of the region enclosed between the two circles $x^2 + y^2 = 4$ and $(x - 2)^2 + y^2 = 4$. 6

OR

Using integration find the area of region bounded by the triangle whose vertices are $(1,0)$, $(2,2)$ and $(3,1)$.

26. Solve the differential equation: $(1 + x^2) \frac{dy}{dx} + 2xy = \frac{1}{1+x^2}$ given $y = 0$ when $x = 1$. 6

OR

Solve: $(x^3 + x^2 + x + 1) \frac{dy}{dx} = 2x^2 + x; y = 1 \text{ when } x = 0$

27. Find the equation of the plane passing through the points (1,2,-1), (2,0,2) and parallel to the line $\vec{r} = (2\hat{i} + \hat{j} + 2\hat{k}) + \lambda(\hat{i} + 2\hat{j} + 2\hat{k})$. 6

OR

Find the length and the foot of the perpendicular from the point(1,3,4) to the plane $2x - y + z + 3 = 0$, also find image point.

28. Two Cards are drawn Simultaneously (or successively without replacement) from a well shuffled deck of 52 cards. Find the mean, variance and standard deviation of the number of kings. 6
29. A Factory makes tennis rackets and cricket bats. A tennis racket takes 1.5hours of machine time and 3 hours of craftsman's time in its making while a cricket bat 3 hours of machine time and 1 hour of craftsman's time. In a day the factory has the availability of not more than 42 hours of machine time and 24 hours of craftsman's time.1) What no. of rackets and bats must be made if the factory is to work at full capacity.2) If the profit on a racket and on a bat is Rs 20 and Rs 10 respectively, find the maximum profit of the factory when it works at full capacity. Make the above as an LPP and solve graphically. 6

End of the Question Paper